




2024


LED LINEAR LAMPS

LAMPY LINIOWE LED / LED LINEAR LAMPS / LINIOVÁ SVÍTIDLA LED
/ LINEÁRNE SVIETIDLÁ LED




RAGGIO

5
years
warranty



UGR
16



Index	Name	EAN	Pon [W]	Φ360° [lm]	Φuse [lm]	η [lm/W]	CCT [K]	L x W x H [mm]		[kg]
ORO18037	ORO-RAGGIO-WHITE-40W-DW-L	5902533196159	40	5200	5000 \approx 90°	130	4000	1200 x 70 x 50		1,78
ORO18038	ORO-RAGGIO-SILVER-40W-DW-L	5902533196166	40	5200	5000 \approx 90°	130	4000	1200 x 70 x 50		1,78
ORO18039	ORO-RAGGIO-BLACK-40W-DW-L	5902533196173	40	5200	5000 \approx 90°	130	4000	1200 x 70 x 50		1,78

 IN 220-240V 50Hz	 70°	 50 000 h			 PF >0,95		 ALU/PS PMMA		 40 °C -20	
 0,5m										





montaż natynkowy
surface mounting

montaż podwieszany
suspended mounting






RAGGIO






ORO-RAGGIO-BLACK-LED-L-CONNECT
index: ORO18043



ORO-RAGGIO-SILVER-LED-L-CONNECT
index: ORO18042



ORO-RAGGIO-WHITE-LED-L-CONNECT
index: ORO18041

12W

1380lm \sphericalangle 90°

70°

4000K


220-240 V

IP 20


PF >0,9



ORO-RAGGIO-BLACK-LED-T-CONNECT
index: ORO18046



ORO-RAGGIO-SILVER-LED-T-CONNECT
index: ORO18045



ORO-RAGGIO-WHITE-LED-T-CONNECT
index: ORO18044

20W

2300lm \sphericalangle 90°


70°

4000K


220-240 V

IP 20


PF >0,9



ORO-RAGGIO-BLACK-LED-X-CONNECT
index: ORO18039



ORO-RAGGIO-SILVER-LED-X-CONNECT
index: ORO18038



ORO-RAGGIO-WHITE-LED-X-CONNECT
index: ORO18037

30W

3450lm \sphericalangle 90°

70°





4000K

220-240 V

IP 20

PF >0,9





Łącznik typu T srebrny / T-type silver connector
Stříbrný konektor typu T / Stříborný konektor typu T



ORO-RAGGIO-SILVER-CONNECT-4
index: ORO18053



ORO-RAGGIO-BLACK-CONNECT-4
index: ORO18063



ORO-RAGGIO-WHITE-CONNECT-4
index: ORO18064




ORO-RAGGIO-SILVER-CONNECT-2
index: ORO18051



ORO-RAGGIO-BLACK-CONNECT-2
index: ORO18061



ORO-RAGGIO-WHITE-CONNECT-2
index: ORO18062



Łącznik prosty / Straight connector
Přímý konektor / Přímý konektor

ORO-RAGGIO-CONNECT-0
index: ORO18040

Mocowanie natynkowe / Surface mounting
Povrchová montáž / Povrchová montáž

ORO-RAGGIO-CLIPS
index: ORO18056



*Linka montażowa / Mounting rope
Montážní lano / Montážne lano*

ORO-RAGGIO-LINK-1
index: ORO18057

na zamówienie on demand

*Rozeta z linką montażową biała / White rosette
with mounting rope / Bílá rozeta s montážním
lankem / Biela rozeta s montážnym lankom*

ORO-RAGGIO-LINK-WHITE-2
index: ORO18058

ORO-RAGGIO-LINK-SILVER-2
index: ORO18059

ORO-RAGGIO-LINK-BLACK-2
index: ORO18060














DALAS

DALAS




Index	Name	EAN	Pon [W]	Φ360° [lm]	η [lm/W]	CCT [K]	L x W x H [mm]		 [kg]
ORO18065	DALAS LED 38W NW-W	5902533199884	38	4000	105	4000 	1200 x 70 x 50		1,16
ORO18066	DALAS LED 38W NW-B	5902533199891	38	4000	105	4000 	1200 x 70 x 50		1,16
ORO18067	DALAS LED 38W NW-S	5902533199907	38	4000	105	4000 	1200 x 70 x 50		1,16



DALAS CCT

5
years
warranty

WW NW CW
CCT



Index	Name	EAN	Pon [W]	Φ360° [lm]	η [lm/W]	CCT [K]	L x W x H [mm]		[kg]
ORO33151	ORO DALAS LED 30W CCT-W	5902533199280	30	3300	110	3000-4000-6500 	1200 x 75 x 50		1,40
ORO33152	ORO DALAS LED 30W CCT-B	5902533199297	30	3300	110	3000-4000-6500 	1200 x 75 x 50		1,40
ORO33153	ORO DALAS LED 30W CCT-S	5902533199303	30	3300	110	3000-4000-6500 	1200 x 75 x 50		1,40

+






Index	Name	EAN	
ORO33160	ORO DALAS LINK I	5905972140066	Łącznik prosty / Straight connector / Přímý konektor / Priamý konektor

IN 220-240V 50Hz	 115°	 50 000 h	CRI > 80			 IP40	 IK08	PF > 0,95		ALU PC	
	40 °C -20 °C		 0,5m	 AIG E							


PARED



Index	Name	EAN	Pmax [W]	L x W x H [mm]		 [kg]
ORO06012	ORO-PARED-2XT8120	5901549640274	2 x 22	1250 x 150 x 66		1,1




















ARK



ARK 1 x T8

ARK 2 x T8

Index	Name	EAN	Pmax [W]	L x W x H [mm]		 [kg]
OR006022	ARK T8 LED 1X60	5902533199839	1 x 9	630 x 42 x 47		0,17
OR006023	ARK T8 LED 1X120	5902533199846	1 x 18	1230 x 42 x 47		0,31
OR006024	ARK T8 LED 1X150	5902533199853	1 x 24	1530 x 42 x 47		0,45
OR006025	ARK T8 LED 2X120	5902533199860	2 x 18	1230 x 100 x 47		0,32
OR006026	ARK T8 LED 2X150	5902533199877	2 x 24	1530 x 100 x 47		0,45



LED manufacturer
since 2006

LED-POL Spółka z o.o. Sp.k.
owner of ORO brand

PL LED-POL Spółka z o.o. Sp.k.
Registered office: 43-300 Bielsko-Biała, 40 Kustronia Street
Address for correspondence: 43-391 Mazańcowice, Mazańcowice 614

SK LED-POL s.r.o. Nitra, Jakuba Haška 3, PSČ 950 47

CZ LED-POL CZ s.r.o. Český Těšín, Karvinská 571/9, PSČ 737 01

www.led-pol.com



ONLINE CATALOG